

**BORGOSIESIA  
RINGS**

13011 Borgosesia (Italy) P.O. Box 20  
Telex 200 241 bortex i  
Tel (0163) 418444 - Telefax (0163) 418445

**DF 3 (I)**

-it-td-in-

**SCelta DEL TUBETTO  
CHOICE OF THE TUBE  
AUSWAHL DER HÜLSE**

	Filatura Spinning Spinnerei				Torcitura Twisting Zwirnerei		
	$\frac{D}{d}$	$\frac{d}{D}$	$\alpha$		$\frac{D}{d}$	$\frac{d}{D}$	$\alpha$
Molto buono Very good Sehr gut	1,9	0,52	31°		2,3	0,43	25°
Buono Good Gut	2	0,5	30°	MAX	2,45	0,41	24°
Normale Normal Normal	2,1	0,47	28°		2,5	0,4	23°
Tollerabile Acceptable Akzeptierbar	2,3	0,43	25°		2,6	0,38	22°
Cattivo Bad Schlecht	2,4	0,41	24°	MIN	2,9	0,34	20°
Impossibile Impossible Unmöglich	2,5	0,4	23°		3,2	0,31	18°

