

STEEL RING WITH ALUMINIUM BASE (SRAB)




TURNING DEPARTMENT



**AUTOMATIC LATHE TURNED
ALL SIZES AVAILABLE
VERY LIGHT WEIGHT
BETTER ROUNDNESS
ISO 9001 CERTIFIED
NOISE REDUCTION
SPC DIMENSIONS
ENERGY SAVING**

I.D.	38	38	40	38	40	41	42	38	40	41	42	44	45	38	40	41	42	44	45	47	48
F.D.	45	47	47	49	49	49	49	52	52	52	52	52	52	55	55	55	55	55	55	55	55
O.D.	47	49	49	51	51	51	51	54	54	54	54	54	54	57	57	57	57	57	57	57	57
Grams	23	24	23	26	25	24	24	32	29	27	26	26	24	39	35	34	32	29	28	27	26

I.D.	38	40	41	42	44	45	47	48	50
F.D.	57	57	57	57	57	57	57	57	57
O.D.	59	59	59	59	59	59	59	59	59
Grams	43	40	38	36	33	31	28	28	28





h=18



MARZOLI (Old type) - Italy
MMC - India

I.D.	38	38	40	38	40	41	42	38	40	41	42	44	45	38	40	41	42	44	45	47	48
F.D.	45	47	47	49	49	49	49	52	52	52	52	52	52	55	55	55	55	55	55	55	55
O.D.	47	49	49	51	51	51	51	54	54	54	54	54	54	57	57	57	57	57	57	57	57
Grams	23	24	23	26	25	24	24	32	29	27	26	26	24	39	35	34	32	29	28	27	26

I.D.	38	40	41	42	44	45	47	48	50
F.D.	57	57	57	57	57	57	57	57	57
O.D.	59	59	59	59	59	59	59	59	59
Grams	43	40	38	36	33	31	28	28	28




h=18



ZINSER - Germany
FASA ZINSER - Brasil

I.D.	38	40	41	42	38	40	41	42	44	45	38	40	41	42	44	45	47	48
F.D.	48,5	48,5	48,5	48,5	50,8	50,8	50,8	50,8	50,8	50,8	54	54	54	54	54	54	54	54
O.D.	51	51	51	51	53	53	53	53	53	53	56	56	56	56	56	56	56	56
Grams	26	25	25	24	30	28	27	26	26	26	38	36	34	32	30	30	28	28

I.D.	38	40	41	42	44	45	47	48	50
F.D.	57,5	57,5	57,5	57,5	57,5	57,5	57,5	57,5	57,5
O.D.	60	60	60	60	60	60	60	60	60
Grams	43	41	39	37	34	31	29	28	28




h=19



TOYODA - Japan

I.D.	38	40	41	42	38	40	41	42	44	45	38	40	41	42	44	45	47	48
F.D.	48,5	48,5	48,5	48,5	50,8	50,8	50,8	50,8	50,8	50,8	54	54	54	54	54	54	54	54
O.D.	51	51	51	51	53	53	53	53	53	53	56	56	56	56	56	56	56	56
Grams	26	25	25	24	30	28	27	26	26	26	38	36	34	32	30	30	28	28









I.D.	38	40	41	42	44	45	47	48	50
F.D.	57,5	57,5	57,5	57,5	57,5	57,5	57,5	57,5	57,5
O.D.	60	60	60	60	60	60	60	60	60
Grams	43	41	39	37	34	31	29	28	28



h=19



HOWA - Japan




I.D.	38	38	40	38	40	41	42	38	40	41	42	44	45	38	40	41	42	44	45	47	48
F.D.	45	47	47	49	49	49	49	52	52	52	52	52	52	55	55	55	55	55	55	55	55
O.D.	47	49	49	51	51	51	51	54	54	54	54	54	54	57	57	57	57	57	57	57	57
Grams	24	25	24	27	26	25	25	33	30	28	27	26	25	40	36	35	33	30	29	28	28

I.D.	38	40	41	42	44	45	47	48	50
F.D.	57	57	57	57	57	57	57	57	57
O.D.	59	59	59	59	59	59	59	59	59
Grams	44	41	39	37	34	32	29	29	28












INGOLSTADT - Germany
ITAMASA - Brasil
NMM - India



Code 36A


h=18



I.D.	38	40	41	42	44	45	38	40	41	42	44	45	47	48	50
F.D.	52	52	52	52	52	52	57	57	57	57	57	57	57	57	57
O.D.	54	54	54	54	54	54	59	59	59	59	59	59	59	59	59
Grams	32	29	27	26	25	24	43	40	38	36	33	31	28	28	28

SRAB S 44 57 59 18 34A

Example of designation







Code 34A

h=18



SAN GIORGIO - Italy




I.D.	38	40	41	42	44	38	40	41	42	44	45	47	38	40	41	42	44	45	47	48	50
F.D.	49	49	49	49	49	52	52	52	52	52	52	52	55	55	55	55	55	55	55	55	55
O.D.	53	53	53	53	53	56	56	56	56	56	56	56	59	59	59	59	59	59	59	59	59
Grams	28	27	26	26	25	33	30	28	27	26	25	24	40	36	35	33	30	28	27	27	26

I.D.	38	40	41	42	44	45	47	48	50
F.D.	58	58	58	58	58	58	58	58	58
O.D.	62	62	62	62	62	62	62	62	62
Grams	45	42	40	38	35	33	30	30	29







EDERA - Italy



Code 60A

h=18




I.D.	38	40	41	42	44	45	38	40	41	42	44	45	47	48
F.D.	49,3	49,3	49,3	49,3	49,3	49,3	52,4	52,4	52,4	52,4	52,4	52,4	52,4	52,4
O.D.	54	54	54	54	54	54	57	57	57	57	57	57	57	57
Grams	29	29	27	24	24	24	35	33	31	30	28	26	26	26

I.D.	38	40	41	42	44	45	47	48	50
F.D.	55,5	55,5	55,5	55,5	55,5	55,5	55,5	55,5	55,5
O.D.	60	60	60	60	60	60	60	60	60
Grams	43	40	38	36	33	32	30	28	27







PLATT - U.K.



Code 60D

h=18




I.D. 38 40 41 42 44 45 47
 F.D. 53 53 53 53 53 53 53
 O.D. 56 56 56 56 56 56 56

38 40 41 42 44 45 47 48 50
 56 56 56 56 56 56 56 56 56
 59 59 59 59 59 59 59 59 59

Grams 38 35 33 31 28 27 24

44 41 39 37 33 31 28 26 24




h=17

I.D. 38 40 41 42 44 45 47
 F.D. 53 53 53 53 53 53 53
 O.D. 56 56 56 56 56 56 56

38 40 41 42 44 45 47 48 50
 56 56 56 56 56 56 56 56 56
 59 59 59 59 59 59 59 59 59

Grams 31 28 27 26 24 23 21


34 33 32 30 29 27 26 22 20



h=13



LMW - India



Legend:

SRAB = Steel Ring with Aluminium Base

I.D. = Internal ring Diameter mm.

F.D. = Fitting base Diameter mm.

O.D. = Outside base Diameter mm.

h = Total ring and base height mm.

Code = Fitting profile designation

Grams = Total weight of steel ring and aluminium base.



PROSINO s.r.l. I-13011 BORGOSIESIA (ITALY) - P.O. Box 20 www.prosino.com

	PHONE	FAX	PHONE	FAX
NATIONAL	0163418444	0163418445	4163418444	4163418445
INTERNATIONAL	+39 0163418444	+39 0163418445	+39 4163418444	+39 4163418445
	UP TO DEC. 27, 2000		FROM DEC. 28, 2000	

